

Abstract Submitted to the
International Conference on Strongly Correlated Electron Systems
University of Michigan, Ann Arbor
August 6-10, 2001

Specific Heats of PrNiSn and NdNiSn

M. Kurisu¹, T. Nobata¹, G. Nakamoto¹,
Y. Andoh², S. Kawano³, D. Schmitt⁴

¹ *Japan Advanced Institute of Science and Technology, Tatsunokuchi, Ishikawa 923-1292, Japan*

² *Fac. of Education and Regional Sciences, Tottori University, Koyama-Minami, Tottori 680-8550, Japan*

³ *Research Reactor Institute, Kyoto University, Kumatori, Osaka 590-0494, Japan*

⁴ *Laboratoire Louis Néel, CNRS, 166X, 38042 Grenoble Cédex, France*

We report the results of magnetic and specific heat experiments on the orthorhombic PrNiSn and NdNiSn single crystals which were performed to explore the ground states of the compounds and the role of the crystalline electric field (CEF) in the compounds. The data for PrNiSn do not show any ordering down to 0.9 K. The temperature dependence of the magnetic entropy in PrNiSn suggests a non magnetic singlet ground state. The entropy at 30 K for PrNiSn is less than the corresponding free ion entropy values, suggesting a large CEF contribution to the specific heat in the compound. NdNiSn exhibits an antiferromagnetic order below $T_N = 2.8$ K. A sharp jump (12 J/mol K) in the specific heat near the T_N confirms the bulk magnetic ordering.